(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 17 February 2005 (17.02.2005)

PCT

(10) International Publication Number WO 2005/014903 A2

(51) International Patent Classification7:

D04B 15/48

(21) International Application Number:

PCT/GB2004/003381

(22) International Filing Date: 5 August 2004 (05.08.2004)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

0318271.4

5 August 2003 (05.08.2003) GF

- (71) Applicant (for all designated States except US): UNIVER-SITY OF MANCHESTER INSTITUTE OF SCIENCE AND TECHNOLOGY [GB/GB]; PO Box 88, Sackville Street, Manchester, Lancashire M60 1QD (GB).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): DIAS, Tilak [GB/GB]; 6 Briar Hollow, Heaton Mersey, Stockport, Cheshire SK4 2EE (GB). COOKE, William [GB/GB]; 9 Howey Hill, Congleton, Cheshire CW12 4AF (GB). FERNANDO, Anura [LK/GB]; 11 Romsey Drive, Cheadle Hulme, Cheadle, Cheshire SK8 7QB (GB).


- 74) Agents: MCCALLUM, Graeme, David et al.; Lloyd Wise, McNeight & Lawrence, Highbank House, Exchange Street, Stockport, Cheshire SK3 0ET (GB).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

 without international search report and to be republished upon receipt of that report

[Continued on next page]

(54) Title: IMPROVED KNITTING MACHINES AND METHODS OF KNITTING



(57) Abstract: There is disclosed a knitting machine comprising: at least one knitting needle; at least one positive yarn feed device for feeding yarn to said at least one knitting needle; needle monitoring means for providing information relating to the at least one knitting needle during the course of a knitting operation; and a controller for controlling the operation of the positive yarn feed device; in which the controller is adapted to: receive information from the needle monitoring means during the course of a knitting operation; use said information to calculate a desired amount of yarn to be fed to a knitting needle; and control the positive yarn feed device so that the positive yarn feed device feeds the desired amount of yarn to the knitting needle during the course of the knitting operation.

1005/01/003 A7 ||

WO 2005/014903 A2



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 17 February 2005 (17.02.2005)

PCT

(10) International Publication Number WO 2005/014903 A3

(51) International Patent Classification⁷:

D04B 15/48

(21) International Application Number:

PCT/GB2004/003381

(22) International Filing Date: 5 August 2004 (05.08.2004)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

0318271.4

5 August 2003 (05.08.2003)

(71) Applicant (for all designated States except US): THE UNIVERSITY OF MANCHESTER [GB/GB]; PO Box 88, Sackville Street, Manchester, Lancashire M60 1QD (GB).

(72) Inventors; and

- Inventors/Applicants (for US only): DIAS, Tilak [GB/GB]; 6 Briar Hollow, Heaton Mersey, Stockport, Cheshire SK4 2EE (GB). COOKE, William [GB/GB]; 9 Howey Hill, Congleton, Cheshire CW12 4AF (GB). FER-NANDO, Anura [LK/GB]; 11 Romsey Drive, Cheadle Hulme, Cheadle, Cheshire SK8 7QB (GB).
- (74) Agent: LLOYD WISE, McNEIGHT & LAWRENCE; c/o Commonwealth House, 1-19 New Oxford Street, London WC1A 1LW (GB).

- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


Published:

with international search report

(88) Date of publication of the international search report: 6 May 2005

[Continued on next page]

(54) Title: IMPROVED KNITTING MACHINES AND METHODS OF KNITTING



(57) Abstract: There is disclosed a knitting machine (80) comprising: at least one knitting needle (88); at least one positive yarn feed device (84) for feeding yarn (82) to said at least one knitting needle; needle monitoring means for providing information relating to the at least one knitting needle (88) during the course of a knitting operation; and a controller for controlling the operation of the positive yarn feed device; in which the controller is adapted to: receive information from the needle monitoring means during the course of a knitting operation; use said information to calculate a desired amount of yarn to be fed to a knitting needle; and control the positive yarn feed device so that the positive yarn feed device feeds the desired amount of yarn to the knitting needle during the course of the knitting operation.

WO 2005/014903 A3



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.